AUTHOR INDEX

ASCE Task Committee on Boundary Survey Standards, Land Surveying Committee, Surveying Engineering Division
ASCE Proposed Model Standard of Practice for Property Boundary Surveys, SU Aug. 93, p111-117

Aw, Y. B.
Phototriangulation Using CCD Camera in Close-Range Environment, with T. K. Koo, SU May 93, p52-58

Bayly, D. A.
see Teskey, W. F., SU May 93, p59-70

Burkholder, Earl F.
Using GPS Results in True 3-D Coordinate System, SU Feb. 93, p1-21
err: SU Aug. 93, p124

Cannon, M. E.
Kinematic Ambiguity Resolution with High-Precision C/A Code Receiver, with G. Lachapelle and G. Lu, SU Nov. 93, p147-155

Chen, Chun-Sung
Solving Circular Curve Using Newton-Raphson's Method, with Lih-Shinn Hwang, SU Feb. 92, p24-32
disc: Said M. Easa, SU Aug. 93, p120-121

Easa, Said M.
Smooth Boundary Approximation for Directly Computing Irregular Area, SU Aug. 93, p86-101
disc. (of Solving Circular Curve Using Newton-Raphson's Method, by Chun-Sung Chen and Lih-Shinn Hwang, SU Feb. 92, p24-32), SU Aug. 93, p120-121

Ferguson, Kendall
Attitude Determination with Ashtech 3-D Direction Finding System, with Sergei Gourevitch, Mark Kuhl and Xinhua Qin, SU Feb. 93, p22-39

Gourevitch, Sergei
see Ferguson, Kendall, SU Feb. 93, p22-39

Hwang, Lih-Shinn
see Chen, Chun-Sung, SU Feb. 92, p24-32

Kok, Johan J.
see Schwarz, Charles R., SU Nov. 93, p127-136

Koo, T. K.
see Aw, Y. B., SU May 93, p52-58

Krakiwsky, E. J.
see McLellan, J. F., SU May 93, p71-83

Kuang, Shanlong
Optimization of the Horizontal Direction Observations in Triangulation of Triangulateration Networks, SU Nov. 93, p156-173
Second-Order Design: Shooting for Maximum Reliability, SU Aug. 93, p102-110

Kuhl, Mark
see Ferguson, Kendall, SU Feb. 93, p22-39

Lachapelle, G.
see Cannon, M. E., SU Nov. 93, p147-155

Launen, Kari J.
GPS—Rapid Solutions for Transportation Management, SU Feb. 93, p40-49

Lu, G.
see Cannon, M. E., SU Nov. 93, p147-155

Martell, H. E.
see Teskey, W. F., SU May 93, p59-70

Martusewicz, Janusz
Optimal Location of Extra Gyroscopic Azimuth in Underground Traverses, SU Nov. 93, p137-146

McLellan, J. F.
Application of GPS Positioning to Management of Mobile Operation, with E. J. Krakiwsky and J. B. Schleppe, SU May 93, p71-83

Qin, Xinhua
see Ferguson, Kendall, SU Feb. 93, p22-39

Schleppe, J. B.
see McLellan, J. F., SU May 93, p71-83

Schwarz, Charles R.
Blunder Detection and Data Snooping in LS and Robust Adjustments, with Johan J. Kok, SU Nov. 93, p127-136

Teskey, W. F.
Use of Laser Targeting in Precise Machinery Surveys, with D. A. Bayly and H. E. Martell, SU May 93, p59-70

SUBJECT INDEX

Antennas
Attitude Determination with Ashtech 3-D Direction Finding System, Kendall Ferguson, Sergei Gourevitch, Mark Kuhl and Xinhua Qin, SU Feb. 93, p22-39.

Approximation methods
Smooth Boundary Approximation for Directly Computing Irregular Area, Said M. Easa, SU Aug. 93, p86-101.

ASCE Committees
ASCE Proposed Model Standard of Practice for Property Boundary Surveys, ASCE Task Committee on Boundary Survey Standards, Land Surveying Committee, Surveying Engineering Division, SU Aug. 93, p111-117.

Attitudes
Attitude Determination with Ashtech 3-D Direction Finding System, Kendall Ferguson, Sergei Gourevitch, Mark Kuhl and Xinhua Qin, SU Feb. 93, p22-39.

Automation
Phototriangulation Using CCD Camera in Close-Range Environment, Y. B. Aw and T. K. Koo, SU May 93, p52-58.

Use of Laser Targeting in Precise Machinery Surveys, W. F. Teskey, D. A. Bayly and H. E. Martell, SU May 93, p59-70.

Azimuth
Optimal Location of Extra Gyroscopic Azimuth in Underground Traverses, Janusz Martusewicz, SU Nov. 93, p137-146.

Boundaries, property
Smooth Boundary Approximation for Directly Computing Irregular Area, Said M. Easa, SU Aug. 93, p86-101.

Cameras
Phototriangulation Using CCD Camera in Close-Range Environment, Y. B. Aw and T. K. Koo, SU May 93, p52-58.

Computer programs
Solving Circular Curve Using Newton-Raphson's Method, Chun-Sung Chen and Lih-Shinn Hwang, SU Feb. 92, p24-32.

Control
GPS—Rapid Solutions for Transportation Management, Kari J. Launen, SU Feb. 93, p40-49.

Coordinates
Using GPS Results in True 3-D Coordinate System, Earl F. Burkholder, SU Feb. 93, p1-21.

Curvature
Solving Circular Curve Using Newton-Raphson's Method, Chun-Sung Chen and Lih-Shinn Hwang, SU Feb. 92, p24-32.

Data analysis
Blunder Detection and Data Snooping in LS and Robust Adjustments, Charles R. Schwarz and Johan J. Kok, SU Nov. 93, p127-136.

Digital mapping
Application of GPS Positioning to Management of Mobile Operation, J. F. McLellan, E. J. Krakiwsky and J. B. Schleppe, SU May 93, p71-83.

Digital techniques
Phototriangulation Using CCD Camera in Close-Range Environment, Y. B. Aw and T. K. Koo, SU May 93, p52-58.

Equipment
Use of Laser Targeting in Precise Machinery Surveys, W. F. Teskey, D. A. Bayly and H. E. Martell, SU May 93, p59-70.

Errors
Blunder Detection and Data Snooping in LS and Robust Adjustments, Charles R. Schwarz and Johan J. Kok, SU Nov. 93, p127-136.

Second-Order Design: Shooting for Maximum Reliability, Shanlong Kuang, SU Aug. 93, p102-110.

Geodesy
Second-Order Design: Shooting for Maximum Reliability, Shanlong Kuang, SU Aug. 93, p102-110.

Geodetic surveys
Using GPS Results in True 3-D Coordinate System, Earl F. Burkholder, SU Feb. 93, p1-21.

Global positioning
Application of GPS Positioning to Management of Mobile Operation, J. F. McLellan, E. J. Krakiwsky and J. B. Schleppe, SU May 93, p71-83.

Attitude Determination with Ashtech 3-D Direction Finding System, Kendall Ferguson, Sergei Gourevitch, Mark Kuhl and Xinhua Qin, SU Feb. 93, p22-39.

GPS—Rapid Solutions for Transportation Management, Kari J. Launen, SU Feb. 93, p40-49.

Kinematic Ambiguity Resolution with High-Precision C/A Code Receiver, M. E. Cannon, G. Lachapelle and G. Lu, SU Nov. 93, p147-155.

Using GPS Results in True 3-D Coordinate System, Earl F. Burkholder, SU Feb. 93, p1-21.

Highway management
GPS—Rapid Solutions for Transportation Management, Kari J. Launen, SU Feb. 93, p40-49.

Image analysis
Phototriangulation Using CCD Camera in Close-Range Environment, Y. B. Aw and T. K. Koo, SU May 93, p52-58.

Irregular boundaries
Smooth Boundary Approximation for Directly Computing Irregular Area, Said M. Easa, SU Aug. 93, p86-101.

Iteration
Blunder Detection and Data Snooping in LS and Robust Adjustments, Charles R. Schwarz and Johan J. Kok, SU Nov. 93, p127-136.

Kalman filter
Application of GPS Positioning to Management of Mobile Operation, J. F. McLellan, E. J. Krakiwsky and J. B. Schleppe, SU May 93, p71-83.

Kinematics
Kinematic Ambiguity Resolution with High-Precision C/A Code Receiver, M. E. Cannon, G. Lachapelle and G. Lu, SU Nov. 93, p147-155.

Land surveys
ASCE Proposed Model Standard of Practice for Property Boundary Surveys, ASCE Task Committee on Boundary Survey Standards, Land Surveying Committee, Surveying Engineering Division, SU Aug. 93, p111-117.

Smooth Boundary Approximation for Directly Computing Irregular Area, Said M. Easa, SU Aug. 93, p86-101.

Lasers
Use of Laser Targeting in Precise Machinery Surveys, W. F. Teskey, D. A. Bayly and H. E. Martell, SU May 93, p59-70.

Least squares method
Kinematic Ambiguity Resolution with High-Precision C/A Code Receiver, M. E. Cannon, G. Lachapelle and G. Lu, SU Nov. 93, p147-155.

Location
Optimal Location of Extra Gyroscopic Azimuth in Underground Traverses, Janusz Martusewicz, SU Nov. 93, p137-146.

Machinery
Use of Laser Targeting in Precise Machinery Surveys, W. F. Teskey, D. A. Bayly and H. E. Martell, SU May 93, p59-70.

Mapping
Using GPS Results in True 3-D Coordinate System, Earl F. Burkholder, SU Feb. 93, p1-21.

Matrix methods
Optimization of the Horizontal Direction Observations in Triangulation of Triangulateration Networks, Shanlong Kuang, SU Nov. 93, p156-173.

Measurement
ASCE Proposed Model Standard of Practice for Property Boundary Surveys, ASCE Task Committee on Boundary Survey Standards, Land Surveying Committee, Surveying Engineering Division, SU Aug. 93, p111-117.

Navigation
Application of GPS Positioning to Management of Mobile Operation, J. F. McLellan, E. J. Krakiwsky and J. B. Schleppe, SU May 93, p71-83.

Attitude Determination with Ashtech 3-D Direction Finding System, Kendall Ferguson, Sergei Gourevitch, Mark Kuhl and Xinhua Qin, SU Feb. 93, p22-39.

Kinematic Ambiguity Resolution with High-Precision C/A Code Receiver, M. E. Cannon, G. Lachapelle and G. Lu, SU Nov. 93, p147-155.

Networks
Optimization of the Horizontal Direction Observations in Triangulation of Triangulateration Networks, Shanlong Kuang, SU Nov. 93, p156-173.

Second-Order Design: Shooting for Maximum Reliability, Shanlong Kuang, SU Aug. 93, p102-110.

Newton-Raphson method
Solving Circular Curve Using Newton-Raphson's Method, Chun-Sung Chen and Lih-Shinn Hwang, SU Feb. 92, p24-32.

Numerical analysis
Solving Circular Curve Using Newton-Raphson's Method, Chun-Sung Chen and Lih-Shinn Hwang, SU Feb. 92, p24-32.

Optimization
Optimal Location of Extra Gyroscopic Azimuth in Underground Traverses, Janusz Martusewicz, SU Nov. 93, p137-146.

Optimization of the Horizontal Direction Observations in Triangulation of Triangulateration Networks, Shanlong Kuang, SU Nov. 93, p156-173.

Second-Order Design: Shooting for Maximum Reliability, Shanlong Kuang, SU Aug. 93, p102-110.

Photogrammetry
Phototriangulation Using CCD Camera in Close-Range Environment, Y. B. Aw and T. K. Koo, SU May 93, p52-58.

Polynomials
Smooth Boundary Approximation for Directly Computing Irregular Area, Said M. Easa, SU Aug. 93, p86-101.

Reliability
Second-Order Design: Shooting for Maximum Reliability, Shanlong Kuang, SU Aug. 93, p102-110.

Satellite mapping
Kinematic Ambiguity Resolution with High-Precision C/A Code Receiver, M. E. Cannon, G. Lachapelle and G. Lu, SU Nov. 93, p147-155.

Satellites
Application of GPS Positioning to Management of Mobile Operation, J. F. McLellan, E. J. Krakiwsky and J. B. Schleppe, SU May 93, p71-83.

Standards
ASCE Proposed Model Standard of Practice for Property Boundary Surveys, ASCE Task Committee on Boundary Survey Standards, Land Surveying Committee, Surveying Engineering Division, SU Aug. 93, p111-117.

Statistical distributions

Blunder Detection and Data Snooping in LS and Robust Adjustments, Charles R. Schwarz and Johan J. Kok, SU Nov. 93, p127-136.

Surveying

ASCE Proposed Model Standard of Practice for Property Boundary Surveys, ASCE Task Committee on Boundary Survey Standards, Land Surveying Committee, Surveying Engineering Division, SU Aug. 93, p111-117.

GPS—Rapid Solutions for Transportation Management, Kari J. Launen, SU Feb. 93, p40-49.

Use of Laser Targeting in Precise Machinery Surveys, W. F. Teskey, D. A. Bayly and H. E. Martell, SU May 93, p59-70.

Telecommunication

Application of GPS Positioning to Management of Mobile Operation, J. F. McLellan, E. J. Krakiwsky and J. B. Schleppe, SU May 93, p71-83.

Three-dimensional analysis

Attitude Determination with Ashtech 3-D Direction Finding System, Kendall Ferguson, Sergei Gourevitch, Mark Kuhl and Xinhua Qin, SU Feb. 93, p22-39.

Three-dimensional models

Using GPS Results in True 3-D Coordinate System, Earl F. Burkholder, SU Feb. 93, p1-21.

Traffic management

Application of GPS Positioning to Management of Mobile Operation, J. F. McLellan, E. J. Krakiwsky and J. B. Schleppe, SU May 93, p71-83.

Transportation management

GPS—Rapid Solutions for Transportation Management, Kari J. Launen, SU Feb. 93, p40-49.

Traverse analysis

Optimal Location of Extra Gyroscopic Azimuth in Underground Traverses, Janusz Martusewicz, SU Nov. 93, p137-146.

Triangulation

Optimization of the Horizontal Direction Observations in Triangulation of Triangulateration Networks, Shanlong Kuang, SU Nov. 93, p156-173.

Phototriangulation Using CCD Camera in Close-Range Environment, Y. B. Aw and T. K. Koo, SU May 93, p52-58.

Tunnel construction

Optimal Location of Extra Gyroscopic Azimuth in Underground Traverses, Janusz Martusewicz, SU Nov. 93, p137-146.

Weight

Optimization of the Horizontal Direction Observations in Triangulation of Triangulateration Networks, Shanlong Kuang, SU Nov. 93, p156-173.